









The Healthy
Alternative for Spas







## **3 Simple Steps**

## to a Chlorine Free Spa Start Up Procedure





#### **Clarify Water**

Add 60gms per 1000Litres Filter for at least 4 hrs before adding other products STEP 2

#### **Balance Water**

Alkalinity
ideal 80 - 120ppm
pH Level
ideal pH 7.2 - 7.6

Calcium hardness ideal 50 - 200ppm

STEP

**5** 

#### **Sanitise Water**

Initial dose rate 1 litre per 1000 litre of water











A chlorine free oxidiser and shock treatment - for burning up organic matter in the water which causes cloudiness and mal-odour.

## **Use rate**

- Start Up 60 grams per 1000 Litres
- Weekly 30 grams per 1000 Litres





## The Healthy Alternative for Spas

STEP

## Dalance Water

## Weekly

Add Poppits
Water Balance

pH 7.2 - 7.6 ALK 80 -150ppm Add Poppits pH Reducer







**ACIDIC** 

**NEUTRAL** 

**ALKALINE** 













## STEP

## Balance Water



#### **POPPIT SPA CAL HARDENER**

To assist with water balancing when calcium levels are low.

## Ideal Level 50-100 ppm



## **Use Rate**

10 grams per 1000 litres raises Calcium level 10ppm

\*\*\*Always add in 3 equal amounts required at initial startup









## Sanitise Water

Conditions, clarifies and kills the bacteria in spa water.

## **Usage Rate**

Initial Dose 1 litre / 1000 litres



Sanitiser based on Hydrogen Peroxide









## The Healthy Alternative for Spas

SPA USAGE	STEP 1 QUICK FIX OXIDISER	STEP 2 BALANCE WATER	STEP 3  SANITISE WATER  SANITISER LEVEL MUST BE CHECKED AT LEAST WEEKLY  AND BEFORE EACH USE OF THE SPA		
Weekly Maintenance			SPA POPPIT SANITISER (conditioner, clarifier & bactericide)	USING PEROXIDE TEST STRIP	
HIGH USE  2-4 PEOPLE EVERYDAYE	BEFORE ADDING OTHER PRODUCTS (WEEKLY)  EVERY 2 WEEKS  30g/1000L FILTER FOR 4hrs	CHECK EVERY WEEK  pH LEVEL Ideal pH 7.2-7.6  If low pH add POPPIT WATER BALANCE  If high pH add POPPIT pH REDUCER  ALKALINITY Ideal 80 – 120ppm  If low add POPPIT WATER BALANCE  If high reduce pH as above or dump 15% of water & refill  CALCIUM HARDNESS Ideal 100 – 200ppm  If low add POPPIT SPA CAL HARDNER  If high check TDS levels	ADD 750ml/1000 (3 MEASURE JUGS) (WEEKLY)	Spa should be maintained at 100ppm level of Poppit Spa Sanitiser  DO NOT allow to drop below 40ppm	
AVERAGE USE  2-4 PEOPLE 2-3 TIMES/WEEK			ADD 500ml/1000L (2 MEASURE JUGS) (WEEKLY)	If test is showing PPM 100ppm	Add Poppit Sanitiser ml/1000L Nil Check again in 2 days
LOW USE OR	EVERY 3 WEEKS		ADD 350ml/1000L (WEEKLY)	60ppm 40ppm 30ppm	270ml 400ml 450ml
1-2 PEOPLE 1-2 TIMES /WEEK OR NO USE	30g/1000L FILTER FOR 4 hrs BEFORE ADDING OTHER PRODUCTS		NOTE: Every 2 weeks it will be necessary to increase the dose to 750ml/1000L	20ppm 10ppm 5ppm 0ppm	570ml 650ml 850ml 1000ml





## **Maintenance Products**

## Weekly

A test strip for testing

- Peroxide
- Alkalinity
- pH
- Total Hardness







## **Fortnightly**

Soak, clean and pressure hose filter cartridges - clean body fats and dirt away without Chlorine residue.

## **Use Rate**

50 grams / per bucket (15ltrs) of warm to hot water and soak for 4 hours.







# Monthly PHOSPHATE & ALGEA CONTROL

Poppits Pool & Spa Complete Maintenance

Note: Measure pack has convenient markings up to **100 mls** on chamber.

Add **50 mls** / 1000Litres on a **Monthly** basis.

\*\*\*Also use to wipe underside of spa cover and head rests, using a damp cloth





## **Maintenance Products**



## **Fortnightly**

Flocculent to clarify spa water, collects all minute debris for easy filtering.

## **Use Rate**

▶ 1 cap / 1000 litres

## **Every 3 - 4 Months**

To clean and remove unhygienic body grease build-up from pipes.

#### **Use Rate**

**50 ml** / 1000 litres

Note: Please use this chemical maintenance as a guide only as there can be many variances. The manufacturers offer this information as a suggestion only and accept no responsibility.



